



# TARA SAFETY COVER ORDER FORM

## A-B Point-to-Point

2294 Old Highway 431 • Owens Cross Roads, AL 35763  
 Ph: 256.725.2500 or 866.725.8272 • F: 877.333.8272 • WWW.TARAPOLS.COM

Date: \_\_\_\_\_ Due: \_\_\_\_\_

### DISTRIBUTOR

Company: \_\_\_\_\_

Address: \_\_\_\_\_

CITY STATE ZIP

Contact: \_\_\_\_\_ Phone: \_\_\_\_\_

E-Mail: \_\_\_\_\_

### SHIPPING INSTRUCTIONS

Branch:  Dealer:  Pick Up:

Ship Via: \_\_\_\_\_

Other: \_\_\_\_\_

### ORDER INFORMATION

PO #: \_\_\_\_\_

Dealer: \_\_\_\_\_

Job Name: \_\_\_\_\_

### MATERIAL/COLOR

Standard Mesh:  (Green ) (Blue ) (Tan ) (Gray )

HD Mesh:  (Green ) (Blue ) (Tan ) (Gray )

Solid w/Pump:  (Green ) (Blue ) (Tan ) (Gray )

Solid w/Drain Panel:  (Green ) (Blue ) (Tan ) (Gray )

Special Solid Coated:  (Green )

### SPECIAL REQUEST

\* Custom Logo Label:  (Please email logo to tkennedy@tarafg.com)

Ship w/out Pump:  (For Solid Covers Only - if you already have a pump)

Ship w/out Anchors:  (For Replacement Covers - if you already have anchors)

### SPECIAL OR EXTRA HARDWARE

Y-Strap:  Qty. \_\_\_\_\_

Wood Deck Anchors:  Length of Wood Deck \_\_\_\_\_

Beauty Rings:  Entire Pool \_\_\_\_\_ or Qty. \_\_\_\_\_


Lawn Stakes:  Length of Plant Bed or Grass Area \_\_\_\_\_

Paver Tubes:  Length of Paver Deck \_\_\_\_\_

Perimeter Padding:  Entire Pool or From \_\_\_\_\_ to \_\_\_\_\_  
 POINT POINT

### COMMENTS:

### Indicate the Diagram that Best Describes the A-B Layout



Distance from "A" to "B" \_\_\_\_\_

Cross Dimension #1 From Point: \_\_\_\_\_ To Point: \_\_\_\_\_ Length: \_\_\_\_\_

Cross Dimension #2 From Point: \_\_\_\_\_ To Point: \_\_\_\_\_ Length: \_\_\_\_\_

Cross Dimension #3 From Point: \_\_\_\_\_ To Point: \_\_\_\_\_ Length: \_\_\_\_\_

Cross Dimension #4 From Point: \_\_\_\_\_ To Point: \_\_\_\_\_ Length: \_\_\_\_\_

Obstacles - Please Provide Description: Handrails, Slides, Waterfalls, Planter, etc.  
 Also, indicate areas where the deck is less than 3' wide.

	A	B	Description		A	B	Description
a				h			
b				i			
c				j			
d				k			
e				l			
f				m			
g				n			

### AB Measurements - All Measurements Pool Size/Not Cover Size


For Anchor Locations, Please Include a Point-to-Point of the Pool from the Same AB Points

	A	B		A	B		A	B
1			25			49		
2			26			50		
3			27			51		
4			28			52		
5			29			53		
6			30			54		
7			31			55		
8			32			56		
9			33			57		
10			34			58		
11			35			59		
12			36			60		
13			37			61		
14			38			62		
15			39			63		
16			40			64		
17			41			65		
18			42			66		
19			43			67		
20			44			68		
21			45			69		
22			46			70		
23			47			71		
24			48			72		

## Point to Point Measurement Instructions

1. Establish two points, **A** and **B**, at least 20' or at least 2/3 the length of the pool apart by marking the pool deck or driving two stakes (be sure that these 2 points stay fixed and do not move). The **A** point should always be in the shallow end. Place the points far enough away from the pool that an imaginary line extending through **A** and **B** in both directions does not cross the perimeter. There should be a margin of at least 3' between the imaginary line and the pool perimeter (4' for pools over 44' long).
2. Using chalk or dot stickers begin marking points along the perimeter of the pool wall in a counterclockwise direction. The marks should be at 2' to 3' intervals. Mark sharp radius at 1' to 2' intervals. Straight lines can be marked at 3' to 4' intervals. Mark all corner points, ladders, hand-rails, grab-rails, slide legs, rocks, spillways, spa walls, fill spouts, etc.
3. Measure and record distance from point **A** to point #1, then point **A** to #2, and so on for all the # points around the pool. Then measure and record from point **B** to each of the # points around all of the pool. List all of the measurements in the correct blank on the next page.
4. Measure the length and width of the pool at the waterline using 2 of your numbered points for each.
5. Draw a freehand sketch of the pool indicating the inside dimensions. Include the "A-B" line location, deck area, planters and any obstructions within 3' of the waterline. Please indicate on the drawing which side **A** & **B** are on if you are standing at the shallow end. A photo of the pool is suggested when rocks, waterfalls, raised walls, spas or any other obstructions. It is recommended to take pictures of the numbered points at obstructions.

	A	B
1		
2	Complete All!	Complete All!
3		
4		
5		
6		
7		
8		
9		
10		
11		





**TARA SAFETY COVER ORDER FORM**

**A-B Point-to-Point**

2294 Old Highway 431 • Owens Cross Roads, Al 35763  
Ph: 256.725.2500 or 866.725.8272 • F: 877.333.8272 • WWW.TARAPOLS.COM



**Show Areas Where Available Deck is Less Than 4' from Waterline of Pool Including Coping**

**COMMENTS:**

---

---

---

---